

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



LISTING SERVICE

Page 1 of 1

LISTING No. 8110-2069:0001

CATEGORY: Decking For Wildland Urban Interface (W.U.I)

LISTEE: KAYU INTERNATIONAL INC., 19824 SW 72nd Ave, Tualatin, OR 97062
Contact: Natalie Smith (503) 557-7296 Fax (503) 557-7262
Email: Natalie@kayu.com

DESIGN: KAYU® Batu (Red Balau) solid hardwood board, reddish brown color, covers products *nominal 1" and thicker x nominal 4" and wider, nominal density of 55.8 lbs/cubic feet. Refer to the manufacturer's installation instructions and product data sheets.

RATING: Class A Flame Spread.

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee name, Model number, rating and SFM label.

APPROVAL: Listed as decking material for use in the Wildland Urban Interface areas.

NOTE: Test Protocol 12-7A-4A

*Rev. 11-28-12 gt



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **July 01, 2012**

Listing Expires **June 30, 2013**

Authorized By: **JAMES PARSESIAN, Program Coordinator**
Fire Engineering Division